SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Monarch Disinfectant Spray

Other means of identification

EPA Reg. No. 88494-1-89494 **Synonyms**

Disinfectant Recommended use Recommended restrictions None known.

Manufacturer information Air Techniques, Inc. 1295 Walt Whitman Road Melville, NY 11747-3062 Phone: 516-214-5631

See above.



2. Hazards Identification

Physical hazards Flammable liquids Category 2 Health hazards Acute toxicity, inhalation Category 4 Serious eye damage/eye irritation Category 2A

FAX: 516-433-2768

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards WHMIS 2015 defined hazards

Label elements

Supplier



Not classified.

Not classified

Signal word Danger

Highly flammable liquid and vapor. Causes serious eye irritation. Harmful if inhaled. May cause **Hazard statement**

respiratory irritation. May cause drowsiness ordizziness.

Precautionary statement

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevention

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to

prevent static discharges.

In case of fire: Use appropriate media to extinguish. Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

Page: 1 of 11 Issue date 18-April-2019

Supplemental information

US: This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines.

This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

Flammable. Keep away from heat or open flame.

| 3. Composition | /Information (| on Ingredients |
|----------------|----------------|----------------|
|----------------|----------------|----------------|

| Mixture | | | |
|---------------------------|--------------------------|------------|------|
| Chemical name | Common name and synonyms | CAS number | % |
| Ethanol | | 64-17-5 | 72.5 |
| Didecyl dimethyl ammonium | | 7173-51-5 | 0.33 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Skin contact Eye contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Symptoms may be delayed.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time [NPIC Web site: www.npic.orst.edu].

General information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Wear safety glasses with side shields. Protective gloves recommended based on infection control best practices. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Fire-fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

equipment/instructions

so without risk.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials. Highly flammable liquid and vapor.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Remove all possible sources of ignition in the surrounding area. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Avoid inhalation of vapors. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and Storage

Precautions for safe handling

Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only with adequate ventilation. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. Keep container tightly closed. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a closed container away from incompatible materials. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

PESTICIDE STORAGE: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components Value Type Ethanol (CAS 64-17-5) **TWA** 1880 mg/m3 1000 ppm

> Page: 3 of 11 Issue date 18-April-2019

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components Value Type Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components **Type** Value Ethanol (CAS 64-17-5) **STEL** 1000 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components **Type** Value Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components **Type** Value Ethanol (CAS 64-17-5) TWA 1880 mg/m3 1000 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value **Type** Ethanol (CAS 64-17-5) PEL 1900 mg/m3 1000 ppm

US. ACGIH Threshold Limit Values

Components **Type** Value Ethanol (CAS 64-17-5) STEL 1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type Ethanol (CAS 64-17-5) TWA 1900 mg/m3 mag 0001

Biological limit

values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin/Hand protection Product is not irritating to skin based on test data. Protective gloves recommended based on

infection control best practices.

Other Respiratory

protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Not applicable. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance Clear **Physical state** Liquid. **Form** Liquid Colorless Color Odor Alcohol Not available. **Odor threshold** 3.7 @ 77°F pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Pour point Specific gravity Not available. Partition coefficient

(n-octanol/water)

Not available.

65.3 °F (18.5 °C) Tag Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit - upper

Not available. **Explosive limit - lower (%)**

Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility(ies) **Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

Other information

Viscosity

0.86 Density

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Strong oxidizing agents.

3.23 cSt @ 68°F

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Do not mix with other chemicals.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Harmful if Inhalation

inhaled. Prolonged inhalation may be harmful.

No adverse effects due to skin contact are expected. Non-irritating based on test data. Skin contact

Eve contact Moderate eye irritation

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of

overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Narcotic effects. May cause respiratory irritation.

Test Results Product Species

NAIC 88494-1 (CAS Mixture)

Acute Dermal

LD50 Rat

> 5000 mg/kg, Tested

Inhalation

LC50 Rat > 2.1 mg/L, Tested

Oral

> 5000 mg/kg, Tested LD50 Rat

Components **Species Test Results** Didecyl dimethyl ammonium chloride (CAS 7173-51-5) Acute Dermal 500 mg/kg LD50 Rabbit Rat > 1000 mg/kg Inhalation Not available LC50 Oral LD50 Mouse 268 mg/kg Rat 329 mg/kg 84 mg/kg Ethanol (CAS 64-17-5) Acute Dermal LD50 Rabbit > 15800 mg/kg, SIDS initial assessment report Inhalation LC50 Cat 85.4 mg/L, 4.5 Hours, ECHA 43.7 mg/L, 6 Hours, ECHA Mouse > 60000 ppm, 60 Minutes, ECHA 79.4 mg/L, 134 Minutes, ECHA Rat > 115.9 mg/L, 4 Hours, ECHA 31623 ppm, 4 Hours, HMIRA 20000 ppm, 10 Hours, HSDB 51.3 mg/L, 6 Hours, ECHA Oral LD50 5.5 g/kg, HSDB Dog Guinea pig 5600 mg/kg, HSDB Monkey 6000 mg/kg Mouse 10500 ml/kg, ECHA 3450 mg/kg, SAX Pig > 5000 mg/kg, ECHA 1187 - 2769 mg/kg, ECHA Rat 12400 mg/kg, ECHA 10470 mg/kg, ECHA 7800 ml/kg, ECHA Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Not available. **Exposure minutes** Not available. Erythema value Not available. Oedema value Serious eye damage/eye Causes serious eye irritation. irritation Not available. Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening value Not available. Conjunctival oedema value Recover days Not available. Respiratory or skin sensitization Not available. Respiratory sensitization Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity

Canada - Manitoba OELs: carcinogenicity

ETHANOL (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol (CAS 64-17-5) Volume 44, Volume 96, Volume 100E

Volume 96, Volume 100E

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) when ingested.

Ethanol is not considered to be a Prop 65 component for this product. This product is not an alcoholic beverage for

consumption.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not available.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria. Respiratory tract irritation. Narcotic effects.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

12. Ecological Information

See below **Ecotoxicity**

Ecotoxicological data

Components **Species Test Results**

Didecyl dimethyl ammonium chloride (CAS 7173-51-5)

Aquatic

Fish LC50 White sturgeon (Acipenser 0.001 - 0.01 mg/L, 96 hours

transmontanus)

Ethanol (CAS 64-17-5)

Crustacea EC50 Daphnia 11744.5 mg/L, 48 Hours

Aquatic

Crustacea EC50 7.7 - 11.2 mg/L, 48 hours Water flea (Daphnia magna)

Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

No data available. **Bioaccumulative potential** No data available. Mobility in soil Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be disposed of on site

or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container.

Offer for recycling if available, or discard empty container in trash.

CONTAINER DISPOSAL: Refillable container. Refill plastic canister with this brand of pesticide product only. Do not reuse this container for any other purpose. Offer plastic container for recycling if available, or discard in trash.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

D001: Waste Flammable material with a flash point <140 F Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

General IATA

Passenger and Cargo Aircraft: Limited Quantity: Pkg Inst: Ltd Qty Y341
Passenger and Cargo Aircraft: Limited Quantity: Pkg Inst: Max Net Qty/Pkg 1L

Passenger and Cargo Aircraft: Pkg Inst: Pkg Inst 352 Passenger and Cargo Aircraft: Pkg Inst: Max Net Qty/Pkg 1L

CARGO Aircraft Only: Pkg Inst 364 CARGO Aircraft Only: Max Net Qty/Pkg 60L

IMDG:

Special Provisions: 274 Limited Quantity: 1L Excepted Quantity: E2 Packing Instructions: P001 IBC Instructions: IBC02

Portable Tanks and Bulk Containers: Tank Instructions: T7 Provisions: TP2, TP13 Stowage and Handling: Category B, SW2

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN1992

Proper shipping name Flammable liquids, toxic, n.o.s.

Technical name Ethanol

Hazard class Limited Quantity - US

Packing group

Special provisions IB2, T7, TP2, TP13

Packaging exceptions <0.3 Gal-Consumer Commodity ORM-D/Limited Quantity

Packaging non bulk 202 Packaging bulk 243

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1992

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Technical name Ethanol

Hazard class Limited Quantity - Canada

Packing group II Special provisions 16

Packaging exceptions <1L - Limited Quantity

IATA/ICAO (Air)

Basic shipping requirements:

UN number UN1992

Proper shipping name Flammable liquid, toxic, n.o.s.

Technical name Ethanol

Hazard class Limited Quantity - IATA

Packing group II ERG code 3HP

IMDG (Marine Transport)

Basic shipping requirements:


UN number UN1992

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Technical name Ethanol

Hazard class Limited Quantity - IMDG

Packing group II
Marine pollutant Yes
EmS F-E, S-D



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Exempt - Un-Registered product

KEEP OUT OF REACH OF CHILDREN.

CAUTION

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

Page: 9 of 11

US federal regulations

This is a registered EPA product. The product labeling is in compliance with EPA regulations and quidelines.

This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.

EPA Registration No. - EPA 88494-1-89494

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

Flammable. Keep away from heat or open flame.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - No

Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

chemical

No

No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5)

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - New Jersey RTK - Substances: Listed substance

Ethanol (CAS 64-17-5)

US - Texas Effects Screening Levels: Listed substance

Didecyl dimethyl ammonium chloride (CAS 7173-51-5) Listed. Ethanol (CAS 64-17-5) Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

US. Rhode Island RTK

Ethanol (CAS 64-17-5)

US. California Proposition 65

Ethanol is not considered to be a Prop 65 component for this product. The product is not an alcoholic beverage for consumption.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) Listed: April 29, 2011

Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethanol (CAS 64-17-5) Listed: October 1, 1987

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|--|------------------|
| Severe Serious Moderate Slight Minimal | 4 3 2 1 |





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 18-April-2019

Version # 03 revision of version issued on 18-February-2019

Effective date 18-April-2019

Prepared by North American Infection Control Ltd.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.