# parkell inc.

# **Safety Data Sheet**

Issue Date: 02-Apr-2012 Revision Date: 21-Nov-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name RETRIEVE™ Long-term Provisional Implant Cement

Other means of identification

**SDS #** S251

Recommended use of the chemical and restrictions on use

Recommended Use Resin-Based, Self-Curing, Two-Component Dental Cement.

Details of the supplier of the safety data sheet

**Supplier Address** 

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717

**Emergency Telephone Number** 

Company Phone Number (631) 249-1134

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Colored paste Physical State Liquid Odor Mild fruity ester-like odor

Classification

Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

Signal Word Warning

# **Hazard Statements**

May cause an allergic skin reaction May cause respiratory irritation



Revision Date: 21-Nov-2014

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Get medical attention if symptoms persist

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Uncured Acrylate and Methacrylate Ester	Proprietary	Proprietary
Monomers		·
Silane treated glass fillers, initiators, and stabilizers	Proprietary	Proprietary
Benzoyl peroxide	94-36-0	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### **First Aid Measures**

**Eye Contact** Flush with plenty of water. Contact a physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Seek medical attention if irritation persists.

**Ingestion** Immediately call a poison center or doctor/physician.

# Most important symptoms and effects

**Symptoms** May cause an allergic skin reaction. May be irritating to skin and eyes. May cause

respiratory irritation. May be irritating to the mouth, throat and stomach.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Heat can cause polymerization with rapid release of energy.

Hazardous Combustion Products Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Revision Date: 21-Nov-2014

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Protect

container from physical damage.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away

from heat, sunlight, oxidizing agents, reducing agents, and ignition sources. Store locked

up.

**Incompatible Materials** Oxidizing agents. Reducing agents. Peroxides. Free radical initiators.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 21-Nov-2014

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silane treated glass fillers, initiators, and	TWA: 1 fiber/cm3 respirable	-	-
stabilizers	fibers: length >5 µm, aspect ratio		
	>=3:1, as determined by the		
	membrane filter method at		
	400-450X magnification [4-mm		
	objective], using phase-contrast		
	illumination		
	TWA: 5 mg/m³ inhalable fraction		
Benzoyl peroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 1500 mg/m <sup>3</sup>
94-36-0		(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety goggles or glasses.

**Skin and Body Protection** Wear latex or other impervious rubber gloves.

**Respiratory Protection** Use in well-ventilated area.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Colored paste Odor Mild fruity ester-like odor

Color Not determined Odor Threshold Not determined

Property Values Remarks • Method

Not determined pН Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined

Specific Gravity 1.5 (Water = 1)

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 21-Nov-2014

#### Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous Polymerization Hazardous polymerization will not occur when using clinical amounts of this material.

#### **Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children. Avoid direct sunlight, high heat, and humidity.

#### **Incompatible Materials**

Oxidizing agents. Reducing agents. Peroxides. Free radical initiators.

# **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** May cause an allergic skin reaction.

**Inhalation** May cause respiratory irritation.

**Ingestion** May be harmful if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Uncured Acrylate and Methacrylate Ester Monomers	= 3300 mg/kg (Rat)	-	-
Silane treated glass fillers, initiators, and stabilizers	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat ) 1 h
Benzoyl peroxide 94-36-0	= 6400 mg/kg (Rat)	-	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

S250 - RETRIEVE™ Long-term Provisional Implant Cement

Revision Date: 21-Nov-2014

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

**Carcinogenicity** Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Silane treated glass fillers, initiators, and stabilizers		Group 3		
Benzoyl peroxide 94-36-0		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

**STOT - single exposure** May cause respiratory irritation.

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Silane treated glass fillers,	440: 72 h	5000: 96 h Brachydanio rerio		7600: 48 h Ceriodaphnia
initiators, and stabilizers	Pseudokirchneriella	mg/L LC50 static		dubia mg/L EC50
	subcapitata mg/L EC50	_		

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# **Mobility**

Not determined

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

S250 - RETRIEVE™ Long-term Provisional Implant Cement

Revision Date: 21-Nov-2014

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide	Toxic
94-36-0	Ignitable
	Reactive

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Uncured Acrylate and Methacrylate Ester Monomers	Present	Х		Present		Present	Х	Present	Х	Х
Silane treated glass fillers, initiators, and stabilizers	Present	Х		Present		Present	Х	Present	X	Х
Benzoyl peroxide	Present	Х		Present		Present	X	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Benzoyl peroxide - 94-36-0	94-36-0	Proprietary	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Revision Date: 21-Nov-2014

#### US State Regulations

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Silane treated glass fillers, initiators, and stabilizers	X	Х	Х
Benzoyl peroxide 94-36-0	Х	X	Х

# **16. OTHER INFORMATION**

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection Not determined

Issue Date:02-Apr-2012Revision Date:21-Nov-2014Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**